



Capital Beltway




5

42 Feet 37 Feet Oil Per Board: 50 uL Oil Pattern Distance: **Reverse Brush Drop:** Forward Oil Total: 14.05 mL **Reverse Oil Total:** 13.05 mL **Volume Oil Total:** 27.1 mL Forward Boards Crossed: 281 Boards Reverse Boards Crossed: 261 Boards 542 Boards **Total Boards Crossed:**






| ← → → | Forward Reverse More



																																										=		
I	tem				3L	7L	:18	L-1	8R			8L	-12	L:18	BL-	18F	{		13L	-17	L:18	8L-1	18R		1	8L-	18F	₹:17	'R-1	I3R		18	3L-1	8R:	12F	R-81	٦		18	8L-	18R	₹:7F	₹-3I	₹
Descript	ion			Ou	tsi	de 1	rac	ck:N	/lid	dle	М	idd	lle 1	rac	k:N	/lide	dle	In	sid	e Ti	rack	сMi	idd	le	MI	dd	le: I	nsi	de T	rac	k	Mid	dle	Mic	ldle	Tr	ack	N	/lide	dle	:Out	tsid	e T	rack
Track Zo	ne l	Rati	io				5							1.59	9						1							1						1.2	2						4.7	78		
F	For	wai	rd O	il		Rev	ers	se (Oil																																			
1500	0	1	2	3 4		5	6	7	8	9	10	11	12	13	14	15	5 1	6 1	7 1	8 1	9 :	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	3 :	2 	<u>1</u>	0	
1350	+-			 -					+			+			+				ļ		 		+	+																		+-		
1200	+-						-		+-			+		1	\pm				<u></u>	<u></u>	<u> </u>	╁-		\pm	1	1	1	-	-	-	_											╁╌	+	
1050	_	L		<u> </u>	i	.j	_L	i	⊥	L	J		L											-								LL.	L			i_	j_	i	/	i	j	_L	-il	





Schuylkill Expressway



5

Oil Pattern Distance: 41 Feet **Forward Oil Total:** 13.3 mL Forward Boards Crossed: 266 Boards

33 Feet Reverse Brush Drop: 11.65 mL **Reverse Oil Total:** Reverse Boards Crossed: 233 Boards

Reverse


Combined

Buff

Oil Per Board: 50 uL 24.95 mL **Volume Oil Total:** 499 Boards **Total Boards Crossed:**

2 7L 7R 2 14 54 1.9 5.8 3.9 2700 3 12L 12R 3 14 51 5.8 11.7 5.9 2550 4 13L 13R 2 18 30 11.7 16.8 5.1 1500 5 14L 14R 3 18 39 16.8 24.4 7.6 1950 6 16L 16R 2 18 18 24.4 29.5 5.1 900 7 2L 2R 0 22 0 29.5 34.0 4.5 0	2 7L 7R 2 14 54 1.9 5.8 3.9 2700 3 12L 12R 3 14 51 5.8 11.7 5.9 2550 4 13L 13R 2 18 30 11.7 16.8 5.1 1500 5 14L 14R 3 18 39 16.8 24.4 7.6 1950 6 16L 16R 2 18 18 24.4 29.5 5.1 900 7 2L 2R 0 22 0 29.5 34.0 4.5 0		Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
3 12L 12R 3 14 51 5.8 11.7 5.9 2550 4 13L 13R 2 18 30 11.7 16.8 5.1 1500 5 14L 14R 3 18 39 16.8 24.4 7.6 1950 6 16L 16R 2 18 18 24.4 29.5 5.1 900 7 2L 2R 0 22 0 29.5 34.0 4.5 0	3 12L 12R 3 14 51 5.8 11.7 5.9 2550 4 13L 13R 2 18 30 11.7 16.8 5.1 1500 5 14L 14R 3 18 39 16.8 24.4 7.6 1950 6 16L 16R 2 18 18 24.4 29.5 5.1 900 7 2L 2R 0 22 0 29.5 34.0 4.5 0	1	2L	2R	2	14	74	0.0	1.9	1.9	3700
4 13L 13R 2 18 30 11.7 16.8 5.1 1500 5 14L 14R 3 18 39 16.8 24.4 7.6 1950 6 16L 16R 2 18 18 24.4 29.5 5.1 900 7 2L 2R 0 22 0 29.5 34.0 4.5 0	4 13L 13R 2 18 30 11.7 16.8 5.1 1500 5 14L 14R 3 18 39 16.8 24.4 7.6 1950 6 16L 16R 2 18 18 24.4 29.5 5.1 900 7 2L 2R 0 22 0 29.5 34.0 4.5 0	2	7L	7R	2	14	54	1.9	5.8	3.9	2700
5 14L 14R 3 18 39 16.8 24.4 7.6 1950 5 16L 16R 2 18 18 24.4 29.5 5.1 900 7 2L 2R 0 22 0 29.5 34.0 4.5 0	5 14L 14R 3 18 39 16.8 24.4 7.6 1950 6 16L 16R 2 18 18 24.4 29.5 5.1 900 7 2L 2R 0 22 0 29.5 34.0 4.5 0	3	12L	12R	3	14	51	5.8	11.7	5.9	2550
5 16L 16R 2 18 18 24.4 29.5 5.1 900 7 2L 2R 0 22 0 29.5 34.0 4.5 0	6 16L 16R 2 18 18 24.4 29.5 5.1 900 7 2L 2R 0 22 0 29.5 34.0 4.5 0	4	13L	13R	2	18	30	11.7	16.8	5.1	1500
7 2L 2R 0 22 0 29.5 34.0 4.5 0	7 2L 2R 0 22 0 29.5 34.0 4.5 0	5	14L	14R	3	18	39	16.8	24.4	7.6	1950
		6	16L	16R	2	18	18	24.4	29.5	5.1	900
3 2L 2R 0 30 0 34.0 41.0 7.0 0	8 2L 2R 0 30 0 34.0 41.0 7.0 0	7	2L	2R	0	22	0	29.5	34.0	4.5	0
		8	2L	2R	0	30	0	34.0	41.0	7.0	0

3700 2700 2550 1500 1950 900 0	Conditioner: Type In or Sele One TransferType Type In or Sele One
	Forward



	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L	2R	0	30	0	41.0	30.0	-11.0	0
2	15L	15R	2	18	22	30.0	24.9	-5.1	1100
3	13L	13R	2	18	30	24.9	19.8	-5.1	1500
4	11L	11R	2	14	38	19.8	15.9	-3.9	1900
5	9L	9R	3	14	69	15.9	10.0	-5.9	3450
6	2L	2R	2	14	74	10.0	6.1	-3.9	3700
7	2L	2R	0	14	0	6.1	0.0	-6.1	0

300

Ite	m				31	7L	:18	L-1	8R			81	-12	2L:1	18L-	18F	₹		13	L-1	7L:	181	-18	8R		1	8L-	18F	R:1	7R	-13	R		18l	18	3R:	12R	{-8F	R		18	8L-	18F	₹:7F	₹-3F	₹
Descriptio	n			0	utsi	de '	Trac	ck:N	Mid	dle	N	lide	lle	Tra	ick:	Иid	dle	li	nsio	de '	Tra	ck:	Mic	ddle	e	MI	dd	le: l	nsi	de	Tra	ick	M	lidd	lle:	Mid	dle	Tra	ack	1	Mid	dle:	:Ou	tsid	le Tr	rack
Track Zon	ne R	atio	0				5.68	3						2.5	55						1.	12						1	1.12	2						2.5	5						5.6	68		
Fo	orv	varo	o b	il		Rev	/ers	se	Oil																																					
	0	1	2	3	4		6	7	8	9	10	11	12	2 1:	3 1	4 1	5 1	6	17	18	19	20	1	9 1	8	17	16	15	14	1 1	3 1	2	11	10	9	8	7	6	5	- 4	4 3	3 1	2	1	0	
1500 -	\vdash	+	+	+	+	+	十	+	+	+	+	+	7	_				۲	+	+	+	+		\vdash	٢	┿	+	+	-		_	┪	+	+	+	+	十	+	+	\dashv	\vdash	-	+	+	+1	
1350 -	ł		┼	+	 			+-				+							+		-+				 			+					┼	+-			+	+						┼		
1200 -	 		+		╂			+				+						-	<u> </u>		-	H		-		1	Ė	_					┼-	+-			-+-	+					┼	+		
1050 -	 			 	 			-				-+				T				╬						-	-						╂	+-				-+			 		 			
900 -	ł		-	+								-+			T					▐						-	╂						-	+												
750 -	 		+-	+	┼		-	+				+								▐						-	-				,	<u> </u>	┼-	+-	+-		-+-	+					┼	+		
600 -	╂		 	 	 											-				-						-		-					<u> </u>	+									 			
450 -	 		-	+						╅	-									-						-								<u> </u>	<u> </u>		+									




Yellow Belt




Oil Pattern Distance: 41 Feet
Forward Oil Total: 13.5 mL
Forward Boards Crossed: 270 Boards

Reverse Brush Drop: 35 Feet
Reverse Oil Total: 10.25 mL
Reverse Boards Crossed: 205 Boards


Oil Per Board: 50 uL
Volume Oil Total: 23.75 mL
Total Boards Crossed: 475 Boards




	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L	2R	0	30	0	41.0	32.0	-9.0	0
2	12L	12R	1	22	17	32.0	28.9	-3.1	850
3	11L	11R	2	22	38	28.9	22.7	-6.2	1900
4	10L	10R	2	22	42	22.7	16.5	-6.2	2100
5	9L	9R	2	22	46	16.5	10.3	-6.2	2300
6	8L	8R	1	18	25	10.3	7.8	-2.5	1250
7	2L	2R	1	18	37	7.8	5.3	-2.5	1850
8	2L	2R	0	18	0	5.3	0.0	-5.3	0



Forward





Ite	em			3	3L-7	L:18	3L-1	8R			8L-	12L:	18L	-18	R		13	L-1	7L:	181	18	3R		18L	1	8R:	17F	-13	R		18L	-18	R:1	2R-	8R			18L	18	R:7	/R-:	3R
Description	on			Outs	ide	Tra	ck:N	Mido	lle	Mi	ddl	e Tr	ack	:Mic	ddle	e	Insi	de	Tra	ick:	Mid	idle	1	Λld	dle	: Ins	side	Tra	ack	М	idd	le:M	lido	dle 1	Tra	ck	Mi	ddl	le:O	utsi	ide	Track
Track Zor	ne R	atio				5.2	5					1.	84						1.	01			Γ			1.0	1					1	.84						5	.25		
F	orw	ard	Oil	4		ever			9	10	11	12 1	3	14 1	15	16	17	18	19	20) 10	9 12	3 1	7 14	6 1	15 1	4	13 1	12	11 1	0	9	8	7	6	5	4	3	2	1	0	
1500 -	Ť	i '	Ĭ	Ť	Ť	Ť	Ť	Ť	Ť	Ť	Ϊ		Ĭ	 	Ť	Ť	Ť	Ť	Ť	-	_					Ĭ	Ė		1	 	Ĭ	Ĭ	Ť	Ť	Ť	Ť	Ť	Ť	Ť	÷	Ť	1
1350 -	╂							+	+		+	╂	 	 	╁	+-	+-		-+							-	-		╁	 -	┼	 	╁	+	+	+-	+-			+		-
1200 -	╂						+	+	+		+	 -	 	┼	╁	+-	+-		-+							-	-		╁		-	 	┼	+	+		+-		+	+	-	-
1050 -	╂		 								+	 	<u> </u>	<u>-</u>	<u>-</u>	╅-	╅			r- -	i	T -1			-	<u>-</u>	<u>-</u>	<u> </u>			 			+			-+					-

