




Kegel Element Recreation Carbon 10342



| | | | | | |
|----------------------|----------|--------------------|---------|--------------------|----------|
| Oil Pattern Distance | 42 | Reverse Brush Drop | 34 | Oil Per Board | Multi ul |
| Forward Oil Total | 16.41 mL | Reverse Oil Total | 8.19 mL | Volume Oil Total | 24.6 mL |
| Tank Configuration | N/A | Tank A Conditioner | Terrain | Tank B Conditioner | Ice |

| | START | STOP | LOADS | MICS | SPEED | BUFFER | TANK | CROSSED | START | END | FEET | T.OIL |
|---|-------|------|-------|------|-------|--------|------|---------|-------|------|------|-------|
| 1 | 2L | 2R | 2 | 55 | 18 | 3 | A | 74 | 0.0 | 2.5 | 2.5 | 4070 |
| 2 | 8L | 8R | 4 | 55 | 18 | 3 | A | 100 | 2.5 | 12.7 | 10.2 | 5500 |
| 3 | 10L | 10R | 4 | 45 | 18 | 3 | A | 84 | 12.7 | 22.9 | 10.2 | 3780 |
| 4 | 12L | 12R | 4 | 45 | 18 | 3 | A | 68 | 22.9 | 33.1 | 10.2 | 3060 |
| 5 | 2L | 2R | 0 | 45 | 22 | 3 | A | 0 | 33.1 | 34.0 | 0.9 | 0 |
| 6 | 2L | 2R | 0 | 45 | 30 | 3 | A | 0 | 34.0 | 42.0 | 8.0 | 0 |


| | START | STOP | LOADS | MICS | SPEED | BUFFER | TANK | CROSSED | START | END | FEET | T.OIL |
|---|-------|------|-------|------|-------|--------|------|---------|-------|------|-------|-------|
| 1 | 2L | 2R | 0 | 40 | 30 | 3 | B | 0 | 42.0 | 29.0 | -13.0 | 0 |
| 2 | 13L | 13R | 3 | 40 | 18 | 3 | B | 45 | 29.0 | 21.4 | -7.6 | 1800 |
| 3 | 12L | 12R | 3 | 40 | 18 | 3 | B | 51 | 21.4 | 13.8 | -7.6 | 2040 |
| 4 | 11L | 11R | 3 | 40 | 14 | 3 | B | 57 | 13.8 | 7.9 | -5.9 | 2280 |
| 5 | 9L | 9R | 2 | 45 | 14 | 3 | B | 46 | 7.9 | 4.0 | -3.9 | 2070 |
| 6 | 2L | 2R | 0 | 45 | 14 | 3 | B | 0 | 4.0 | 0.0 | -4.0 | 0 |



Cleaner Ratio Main Mix 5:1 Forward
 Cleaner Ratio Back End Mix 5:1 Reverse
 Cleaner Ratio Back End Distance 59 Combined
 Buffer RPM: 4 = 720 | 3 = 500 | 2 = 200 | 1 = 100



| Item | 3L-7L:18L-18R | 8L-12L:18L-18R | 13L-17L:18L-18R | 18L-18R:17R-13R | 18L-18R:12R-8R | 18L-18R:7R-3R |
|------------------|----------------------|---------------------|---------------------|----------------------|---------------------|----------------------|
| Description | Outside Track:Middle | Middle Track:Middle | Inside Track:Middle | Middle: Inside Track | Middle:Middle Track | Middle:Outside Track |
| Track Zone Ratio | 10.36 | 1.84 | 1 | 1 | 1.84 | 10.36 |






Kegel Element Recreation Helium 11441



| | | | | | |
|----------------------|----------|--------------------|-----------|--------------------|-----------|
| Oil Pattern Distance | 41 | Reverse Brush Drop | 36 | Oil Per Board | Multi ul |
| Forward Oil Total | 14.59 mL | Reverse Oil Total | 10.505 mL | Volume Oil Total | 25.095 mL |
| Tank Configuration | N/A | Tank A Conditioner | Terrain | Tank B Conditioner | Terrain |

| | START | STOP | LOADS | MICS | SPEED | BUFFER | TANK | CROSSED | START | END | FEET | T.OIL |
|---|-------|------|-------|------|-------|--------|------|---------|-------|------|------|-------|
| 1 | 2L | 2R | 2 | 50 | 18 | 3 | A | 74 | 0.0 | 2.5 | 2.5 | 3700 |
| 2 | 10L | 10R | 7 | 55 | 18 | 3 | B | 147 | 2.5 | 20.3 | 17.8 | 8085 |
| 3 | 12L | 12R | 3 | 55 | 18 | 3 | A | 51 | 20.3 | 27.9 | 7.6 | 2805 |
| 4 | 2L | 2R | 0 | 55 | 22 | 3 | B | 0 | 27.9 | 34.0 | 6.1 | 0 |
| 5 | 2L | 2R | 0 | 55 | 26 | 3 | A | 0 | 34.0 | 41.0 | 7.0 | 0 |

| | START | STOP | LOADS | MICS | SPEED | BUFFER | TANK | CROSSED | START | END | FEET | T.OIL |
|---|-------|------|-------|------|-------|--------|------|---------|-------|------|-------|-------|
| 1 | 2L | 2R | 0 | 55 | 30 | 3 | A | 0 | 41.0 | 34.0 | -7.0 | 0 |
| 2 | 11L | 11R | 4 | 55 | 22 | 3 | B | 76 | 34.0 | 21.6 | -12.4 | 4180 |
| 3 | 9L | 9R | 5 | 55 | 18 | 3 | A | 115 | 21.6 | 8.9 | -12.7 | 6325 |
| 4 | 2L | 2R | 0 | 55 | 14 | 3 | B | 0 | 8.9 | 0.0 | -8.9 | 0 |



Cleaner Ratio Main Mix 5:1 Forward


Cleaner Ratio Back End Mix 5:1 Reverse

Cleaner Ratio Back End Distance 59 Combined

Buffer RPM: 4 = 720 | 3 = 500 | 2 = 200 | 1 = 100



| Item | 3L-7L:18L-18R | 8L-12L:18L-18R | 13L-17L:18L-18R | 18L-18R:17R-13R | 18L-18R:12R-8R | 18L-18R:7R-3R |
|------------------|----------------------|---------------------|---------------------|----------------------|---------------------|----------------------|
| Description | Outside Track:Middle | Middle Track:Middle | Inside Track:Middle | Middle: Inside Track | Middle:Middle Track | Middle:Outside Track |
| Track Zone Ratio | 11.45 | 1.7 | 1 | 1 | 1.7 | 11.45 |






Kegel Element Recreation Lithium 9144



| | | | | | |
|----------------------|----------|--------------------|----------|--------------------|-----------|
| Oil Pattern Distance | 44 | Reverse Brush Drop | 36 | Oil Per Board | Multi ul |
| Forward Oil Total | 16.38 mL | Reverse Oil Total | 8.305 mL | Volume Oil Total | 24.685 mL |
| Tank Configuration | N/A | Tank A Conditioner | Terrain | Tank B Conditioner | Current |

| | START | STOP | LOADS | MICS | SPEED | BUFFER | TANK | CROSSED | START | END | FEET | T.OIL |
|---|-------|------|-------|------|-------|--------|------|---------|-------|------|------|-------|
| 1 | 2L | 2R | 3 | 45 | 14 | 4 | A | 111 | 0.0 | 3.9 | 3.9 | 4995 |
| 2 | 8L | 8R | 2 | 55 | 18 | 4 | A | 50 | 3.9 | 9.0 | 5.1 | 2750 |
| 3 | 10L | 10R | 3 | 55 | 18 | 3 | A | 63 | 9.0 | 16.6 | 7.6 | 3465 |
| 4 | 12L | 12R | 3 | 55 | 18 | 3 | A | 51 | 16.6 | 24.2 | 7.6 | 2805 |
| 5 | 13L | 13R | 2 | 55 | 22 | 3 | A | 30 | 24.2 | 30.4 | 6.2 | 1650 |
| 6 | 14L | 14R | 1 | 55 | 22 | 3 | A | 13 | 30.4 | 33.5 | 3.1 | 715 |
| 7 | 2L | 2R | 0 | 55 | 30 | 3 | A | 0 | 33.5 | 44.0 | 10.5 | 0 |


| | START | STOP | LOADS | MICS | SPEED | BUFFER | TANK | CROSSED | START | END | FEET | T.OIL |
|---|-------|------|-------|------|-------|--------|------|---------|-------|------|-------|-------|
| 1 | 2L | 2R | 0 | 55 | 26 | 3 | B | 0 | 44.0 | 33.0 | -11.0 | 0 |
| 2 | 13L | 13R | 4 | 55 | 22 | 3 | B | 60 | 33.0 | 20.6 | -12.4 | 3300 |
| 3 | 12L | 12R | 2 | 55 | 18 | 3 | B | 34 | 20.6 | 15.5 | -5.1 | 1870 |
| 4 | 11L | 11R | 3 | 55 | 18 | 3 | B | 57 | 15.5 | 7.9 | -7.6 | 3135 |
| 5 | 2L | 2R | 0 | 55 | 14 | 4 | B | 0 | 7.9 | 0.0 | -7.9 | 0 |



Cleaner Ratio Main Mix 5:1 Forward
 Cleaner Ratio Back End Mix 5:1 Reverse
 Cleaner Ratio Back End Distance 59 Combined
 Buffer RPM: 4 = 720 | 3 = 500 | 2 = 200 | 1 = 100



| Item | 3L-7L:18L-18R | 8L-12L:18L-18R | 13L-17L:18L-18R | 18L-18R:17R-13R | 18L-18R:12R-8R | 18L-18R:7R-3R |
|------------------|----------------------|---------------------|---------------------|----------------------|---------------------|----------------------|
| Description | Outside Track:Middle | Middle Track:Middle | Inside Track:Middle | Middle: Inside Track | Middle:Middle Track | Middle:Outside Track |
| Track Zone Ratio | 9.15 | 2.66 | 1.01 | 1.01 | 2.66 | 9.15 |






Kegel Element Recreation Neon 12943




| | | | | | |
|----------------------|---------|--------------------|----------|--------------------|----------|
| Oil Pattern Distance | 43 | Reverse Brush Drop | 37 | Oil Per Board | Multi ul |
| Forward Oil Total | 14.5 mL | Reverse Oil Total | 10.26 mL | Volume Oil Total | 24.76 mL |
| Tank Configuration | N/A | Tank A Conditioner | Terrain | Tank B Conditioner | Terrain |

| | START | STOP | LOADS | MICS | SPEED | BUFFER | TANK | CROSSED | START | END | FEET | T.OIL |
|---|-------|------|-------|------|-------|--------|------|---------|-------|------|------|-------|
| 1 | 2L | 2R | 2 | 50 | 18 | 3 | A | 74 | 0.0 | 2.5 | 2.5 | 3700 |
| 2 | 11L | 11R | 6 | 50 | 18 | 3 | B | 114 | 2.5 | 17.8 | 15.3 | 5700 |
| 3 | 12L | 12R | 6 | 50 | 18 | 3 | A | 102 | 17.8 | 33.1 | 15.3 | 5100 |
| 4 | 2L | 2R | 0 | 50 | 22 | 3 | B | 0 | 33.1 | 38.0 | 4.9 | 0 |
| 5 | 2L | 2R | 0 | 50 | 26 | 3 | A | 0 | 38.0 | 43.0 | 5.0 | 0 |

| | START | STOP | LOADS | MICS | SPEED | BUFFER | TANK | CROSSED | START | END | FEET | T.OIL |
|---|-------|------|-------|------|-------|--------|------|---------|-------|------|------|-------|
| 1 | 2L | 2R | 0 | 55 | 26 | 3 | A | 0 | 43.0 | 36.0 | -7.0 | 0 |
| 2 | 14L | 14R | 3 | 55 | 18 | 3 | B | 39 | 36.0 | 28.4 | -7.6 | 2145 |
| 3 | 13L | 13R | 3 | 55 | 18 | 3 | A | 45 | 28.4 | 20.8 | -7.6 | 2475 |
| 4 | 11L | 11R | 2 | 55 | 18 | 3 | B | 38 | 20.8 | 15.7 | -5.1 | 2090 |
| 5 | 9L | 9R | 2 | 50 | 18 | 3 | A | 46 | 15.7 | 10.6 | -5.1 | 2300 |
| 6 | 8L | 8R | 1 | 50 | 18 | 3 | B | 25 | 10.6 | 8.1 | -2.5 | 1250 |
| 7 | 2L | 2R | 0 | 45 | 14 | 3 | A | 0 | 8.1 | 0.0 | -8.1 | 0 |



Cleaner Ratio Main Mix 5:1 Forward
 Cleaner Ratio Back End Mix 5:1 Reverse
 Cleaner Ratio Back End Distance 59 Combined
 Buffer RPM: 4 = 720 | 3 = 500 | 2 = 200 | 1 = 100



| Item | 3L-7L:18L-18R | 8L-12L:18L-18R | 13L-17L:18L-18R | 18L-18R:17R-13R | 18L-18R:12R-8R | 18L-18R:7R-3R |
|------------------|----------------------|---------------------|---------------------|----------------------|---------------------|----------------------|
| Description | Outside Track:Middle | Middle Track:Middle | Inside Track:Middle | Middle: Inside Track | Middle:Middle Track | Middle:Outside Track |
| Track Zone Ratio | 12.9 | 2.84 | 1.03 | 1.03 | 2.84 | 12.9 |

