



OHSAA STATE CHAMPIONSHIP LANE PATTERN

Oil Per Board: 40 uL Oil Pattern Distance: 40 Feet Volume Oil Total: 18.24 mL Total Boards Crossed: 456 Boards

Forward Oil Total: 10.04 mL
Forward Boards Crossed: 251 Boards

Reverse Oil Total: 8.2 mL
Reverse Boards Crossed: 205 Boards

Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil	
1	2L	2R	2	14	74	0.0	1.9	1.9	2960
2	6L	6R	1	14	29	1.9	3.8	1.9	1160
3	8L	8R	1	14	25	3.8	5.7	1.9	1000
4	10L	10R	3	14	63	5.7	11.6	5.9	2520
5	12L	12R	2	18	34	11.6	16.7	5.1	1360
6	14L	14R	2	18	26	16.7	21.8	5.1	1040
7	2L	2R	0	18	0	21.8	26.0	4.2	0
8	2L	2R	0	22	0	26.0	32.0	6.0	0
9	2L	2R	0	30	0	32.0	40.0	8.0	0

Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil	
1	2L	2R	0	30	0	40.0	34.0	-6.0	0
2	13L	13R	2	22	30	34.0	27.8	-6.2	1200
3	11L	11R	2	18	38	27.8	22.7	-5.1	1520
4	9L	9R	2	18	46	22.7	17.6	-5.1	1840
5	7L	7R	2	18	54	17.6	12.5	-5.1	2160
6	2L	2R	1	18	37	12.5	10.0	-2.5	1480
7	2L	2R	0	14	0	10.0	0.0	-10.0	0

Conditioner:
Prodigy


TransferType:
Transfer Brush

Forward

Reverse

Combined

Buff




Arrow Zone Ratios

Item	2-5L:16L-20	6-10L:16-20	11-15L:16L-20	16L-20:20-16R	16L-20:20-16R	20-16R:15-11R	20-16R:10-6R	20-16R:5-2R
ul Arrow	120	304	704	800	800	704	304	120
Zone Ratio	6.67	2.63	1.14	1	1	1.14	2.63	6.67

Track Zone Ratios

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	Middle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	5.26	1.72	1.02	1.02	1.72	5.26



Tournament Name
Bowling Center
City, State
Dates

OHSAA State Championships Lane Pattern
Wayne Webb's Columbus Bowl
Columbus, OH
March 4-5, 2011

Volume Per Board: <u>40</u> μ L				Forward Brand			1st Buff 26 feet	2nd Buff 32 feet	Oil Travel Distance 40 feet
Screen #	Left End of Stream	Right End of Stream	# Loads of Stream	Travel Speed	Beginning Distance of	Ending Distance of	# Boards Crossed Lane	Total Boards	Total Volume of Oil (μ L)
01F	2	2	2	14.00	0.00	1.90	37	74	2960
02F	6	6	1	14.00	1.90	3.80	29	29	1160
03F	8	8	1	14.00	3.80	5.70	25	25	1000
04F	10	10	3	14.00	5.70	11.60	21	63	2520
05F	12	12	2	18.00	11.60	16.70	17	34	1360
06F	14	14	2	18.00	16.70	21.80	13	26	1040
07F	2	2	0	18.00	21.80	26.00			
08F	2	2	0	22.00	26.00	32.00			
09F	2	2	0	30.00	32.00	40.00			
10F									
11F									
12F									
13F									
14F									
15F									
Total # Boards Crossed / mL on FWD								251	10.04
Lane Surface Type: _____								Reverse Oil Distance	
Condition: 1 = poor 2 = fair 3 = average 4 = good 5 = excellent _____								34 feet	
Reverse									
Screen #	Left End of Stream	Right End of Stream	# Loads of Stream	Travel Speed	Beginning Distance of	Ending Distance of	# Boards Crossed Lane	Total Boards	Total Volume of Oil (μ L)
01R	2	2	0	30.00		34.00			
02R	13	13	2	22.00	34.00	27.80	15	30	1200
03R	11	11	2	18.00	27.80	22.70	19	38	1520
04R	9	9	2	18.00	22.70	17.60	23	46	1840
05R	7	7	2	18.00	17.60	12.50	27	54	2160
06R	2	2	1	18.00	12.50	10.00	37	37	1480
07R	2	2	0	14.00	10.00	0.00			
08R									
09R									
10R									
11R									
12R									
13R									
14R									
15R									
Total # Boards Crossed / mL on REV								205	8.2
Total # Boards / mL FWD and REV								456	18.24